



**Universidad Andina del Cusco**  
**Facultad de Ciencias de la Salud**  
**Escuela Profesional de Obstetricia**



---

**Incidencia, características y complicaciones de la hemorragia postparto en  
pacientes atendidas en Hospitales del Ministerio de Salud Cusco 2017.**

---

**Tesis presentada por:**

Bach. Quispe Quispe Vilma

Bach. Yahuaire Ccoyori Miluska

**Para optar el título de:**

Licenciadas en Obstetricia

**Asesora:**

Mg. Obst. Luisa Mirtha Estrada Chiroque

**Cusco – Perú**

**2018**



## RESUMEN

Incidencia, características y complicaciones de la hemorragia postparto en pacientes atendidas en Hospitales del Ministerio de Salud Cusco 2017. Estudio cuyo objetivo general es identificar la incidencia, características y complicaciones de la hemorragia postparto, investigación descriptiva, de corte transversal, de enfoque cuantitativo, de diseño no experimental, retrospectivo. Resultados: De 980 casos de hemorragia post parto de un total de 5 433 partos atendidos que se presentan en el Hospital Regional (HR), siendo la incidencia de 0.180, es decir 180 de cada 1000 partos presenta esta patología; en el Hospital Antonio Lorena (HAL) un total de 502 de 3 622 partos atendidos con una incidencia de 0.138, es decir, 138 de cada 1000 partos presenta esta patología. Las características demográficas son edades entre 35 años a más, grado de instrucción secundaria, estado civil conviviente, amas de casa, con atenciones pre natales deficientes, multigestas, y presencia de anemia; respecto a las características de la gestación hubo presencia de desprendimiento prematuro de placenta, en el parto conducción del parto, tipo de parto vaginal, características del periodo expulsivo y alumbramiento con laceraciones del canal del parto, retención de restos placentarios. Las complicaciones de la hemorragia postparto fueron anemia leve y shock hipovolémico.

**Palabras clave:** Incidencia, características, complicaciones y hemorragia postparto.



## ABSTRACT

Incidence, characteristics and complications of postpartum haemorrhage in patients treated at Hospitals of the Ministry of Health Cusco 2017. Study of the general objective is to identify the incidence, characteristics and complications of postpartum haemorrhage, descriptive, cross-sectional research, quantitative approach, of non-experimental, retrospective design. Results: Of 980 cases of postpartum haemorrhage out of a total of 5 433 attended deliveries that occur in the Regional Hospital (HR), the incidence of 0.180, that is 180 out of every 1000 births, presents this pathology; in the Antonio Lorena Hospital (HAL) a total of 502 out of 3 622 deliveries attended with an incidence of 0.138, that is, 138 out of every 1000 births, presents this pathology. The demographic characteristics are the ages between 35 years and over, grade of secondary education, marital status, housewives, deficient prenatal attenuations, multigestations, and the presence of anemia; In this case, in the case of the presence, the presence, the premature detachment of the placenta, the birth, the vaginal delivery, the characteristics of the period of expulsion and the delivery with the lesions of the birth canal, the retention of the remains Placental Complications of postpartum hemorrhage were mild anemia and hypovolemic shock.

**Key words:** Incidence, characteristics, complications and postpartum hemorrhage.