



UNIVERSIDAD ANDINA DEL CUSCO

FACULTAD DE CIENCIAS DE LA SALUD

ESCUELA PROFESIONAL DE ENFERMERÍA



**“NIVEL DE CONOCIMIENTO DE LA ALIMENTACIÓN
COMPLEMENTARIA EN MADRES DE NIÑOS DE 6 A 24
MESES DE EDAD EN EL CONSULTORIO DE CRED DEL
HOSPITAL QUILLABAMBA, CUSCO – 2018”.**

Presentada por la Bachiller:

Paucar Chacón, Pamela Maribel.

Para optar al Título Profesional de:

LICENCIADA EN ENFERMERÍA

Asesor: Lic. Julio Cesar Valencia

García

CUSCO – PERÚ

2018



RESUMEN

El presente estudio tuvo como objetivo determinar el nivel de conocimiento de la alimentación complementaria en madres de niños de 6 a 24 meses en el consultorio de CRED del Hospital Quillabamba, Cusco – 2018. Se realizó un estudio tipo descriptivo transversal, con una muestra conformada por 60 madres. Se aplicó la técnica de la entrevista para la recolección de datos y como instrumento la encuesta. La validez de instrumento se realizó mediante juicio de expertos.

De las madres estudiadas predominó el grupo etario 25 – 35 años con un 50.0%, en cuanto al estado civil 70.0% son convivientes, en cuanto a la procedencia 50.0% proceden de áreas urbanas, en tanto el grado de instrucción 48.3% tiene estudios secundarios, 48.3% tiene de dos a tres hijos y respecto a la ocupación 50.0% son amas de casa

En cuanto al nivel de conocimientos de alimentación complementaria según los resultados se obtuvo con un 51.7% de las madres que acuden al consultorio de CRED del Hospital Quillabamba tienen conocimiento regular.

Palabras clave: alimentación complementaria, conocimiento.



ABSTRACT

The objective of this study was to determine the level of knowledge of complementary feeding in mothers of children from 6 to 24 months of age in the CRED clinic of the Quillabamba Hospital, Cusco - 2018. A cross-sectional descriptive study was carried out with a sample of 60 mothers. The interview technique was used for data collection and as a survey instrument. The validity of the instrument was assessed by expert judgement.

Of the mothers studied, the age group 25-35 years old predominated, with 50.0% of them having a marital status, 70.0% living together, 50.0% coming from urban areas, while 48.3% had secondary education, 48.3% had two to three children and 50.0% were housewives.

As for the level of knowledge of complementary feeding, according to the results, 51.7% of the mothers who go to the CRED clinic of the Quillabamba Hospital: have regular knowledge.

Keywords: complementary feeding, knowledge.